





Reproducibility in corpus-based computational analyses of learner speech

Martin Schweinberger m.Schweinberger@uq.edu.au





Reproducibility in corpus-based computational analyses of learner speech

Timeline | Table of Contents

- Replication Crisis
- Case study: L2 speech Background and Motivation
 - Research Gaps | Research Questions
 - Methodology (Data and Analysis)
 - Results
 - Discussion | Outlook
- Potential Applications




Reproducibility Crisis

Controversial ongoing methodological crisis that originated in medicine (loannidis 2005) and swiftly expanded to STEM, the social sciences, and psychology when **replications of seminal experiments failed** - calling into question the reliability of widely accepted published research

Reproducibility is a defining feature of science, but the extent to which it characterizes current research is unknown.

(Open Science Collaboration 2015)



nature > news feature > article


Published: 25 May 2016

1,500 scientists lift the lid on reproducibility

Monya Baker

Nature 533, 452-454 (2016) | Cite this article

"More than 70% of researchers have tried and failed to reproduce another scientist's experiments, and more than half have failed to reproduce their own experiments." (Baker 2016: 452)



Reproducibility Crisis

Results and Effects

- Public loss of trust in science
- Substantive efforts to improve transparency and reproducibility (in STEM and "hard" social sciences)
- Examples: increased efforts to support replication, pre-registration, and establishing a culture of sharing & infrastructures for sharing (OSF, GitHub, RNotebooks)







Reproducibility Crisis

Problem has been identified in (Corpus Linguistics) BUT

focus on data (data citation, data sharing) NOT analyses

8 Open Access Veröffentlicht von De Gruyter Mouton 6. Dezember 2017

Reproducible research in linguistics: A position statement on data citation and attribution in our field

Andrea L. Berez-Kroeker, Lauren Gawne, Susan Smythe Kung, Barbara F. Kelly, Tyler Heston, Gary Holton, Peter Pulsifer, David I. Beaver, Shobhana Chelliah, Stanley Dubinsky, Richard P. Meier, Nick Thieberger, Keren Rice und Anthony C. Woodbury Aus der Zeitschrift Linguistics



see Marsden & Bolibaugh 2021 (to the right), document available through: https://pure.york.ac.uk/portal/en/publications/reproducibility-and-research-integrity-in-appliedlinguistics This preprint contains the text of a submission of written evidence to the UK Parliament, House of Commons <u>Science and Technology Committee inquiry on reproducibility and research integrity</u> (submitted: 24 September 2021. Viewable on the parliament website <u>here</u>). It is not peer-reviewed.

Reproducibility and research integrity in applied linguistics

Professor Emma Marsden, University of York, <u>emma.marsden@vork.ac.uk</u> Dr Cylcia Bolibaugh, University of York, <u>cylcia.bolibaugh@vork.ac.uk</u>

We work in the area of applied linguistics, with a focus on the learning of languages (second, foreign, additional languages after the first language). This is a multidisciplinary field, sitting at the intersection of social sciences (education), arts & humanities (linguistics, languages) and learning sciences (psychology, including neuroscience).

We are writing in our capacity as Director (Emma Marsden) and Co-Director (Cylcia Bolibaugh) of two open research and impact initiatives: IRIS (Instruments and materials for Research Into Second languages) and OASIS (Open Accessible Summaries In Language Studies).

Availability of data and code underpinning published findings

Sharing of data and code underpins computational reproducibility, and is necessary for the verification of individual studies, as well as for the carrying out of meta-analyses. Failure to share data results in a cumulative loss of research value as findings cannot be incorporated into research syntheses and meta-analyses.

(Corpus) Linguists need to know about and implement transparent workflows to produce reliable and replicable results!

How to improve reproducibility | replicability | robustness


Data management

- File naming: consistent and meaningful
- Folder templates: Use templates across teams | labs
- 3-2-1 rule: 3 copies of data on 2 media one of which should be the cloud

Documentation

- document where to find what
- helpful for on-boarding people
- useful when sharing projects

allows to recover what has been done and helps avoiding data loss (bus factor): how many people can be run over by a bus without the project coming to a halt?)




How to improve reproducibility | replicability | robustness

FAIR data

- · Findable, Accessible, Interoperable, Reusable
- Sharing data (OSF, GitHub, etc.)

Practice shift

- Pre-registration
- Upskilling for MA students
- Stronger focus on replication studies
- Submitting notebooks | code & data alongside papers
- Acknowledge data sets as research outputs



Showcase


A corpus-based computational analysis of high-front and -back vowel production of L1-Japenese learners of English and L1-English speakers

What have I done?

- Created a GitHub repository which contains all relevant information (<u>UHH2023EngVwlJpn</u>)
- Documented where to find the data and how to download it
- Uploaded the processed data and the R notebooks used in processing and analysing the data
- Created and uploaded a <u>Jupyter</u> notebook which allows everyone to perform the analysis (not the preprocessing)

The GitHub repo can be accessed via my GitHub repository: https://github.com/MartinSchweinberger/UHH2023EngVwlJpn

The associated paper is available here.



Background and Motivation

Pronunciation is a challenge for L2 English learners Problem

- Pronunciation is most immediate and direct
- Everybody automatically and subconsciously categorizes and infers judgements based on pronunciation (gender, age, cultural background, nativeness, socio-economics, education, etc.)
- Pronunciation is crucial for intelligibility
- Pronunciation is affecting real-life opportunities (jobs, partner choice, etc.)

Pronunciation is important for learners as well as teachers of English!



Background and Motivation

Why is pronunciation a challenge for L2 English learners? Languages interact in the minds of multilingual speakers

°0



Languages are not independent but affect each other

Speech Learning Model (SLM) (Flege 1995)

- L1 and L2 sound systems exist in a shared phonetic space in the bilingual mind
- As a result, the L2 sound system is affected by the L1 system (and vice versa)




Background and Motivation

English vowels are particularly challenging for Japanese-L1 learners

(Franklin & Stoel-Gammon 2014)

- earners
- Differences in inventory size (JPN: 5 vowels^{*} vs. ENS: app.^{**} 11 vowels) (Homma 1992)
- Differences in how vowels are differentiated (ENS: formants + duration | JPN: duration)



* Monophthingal vowels, i.e., vowels with a fixed tongue position (not vowels with a moving tonue position like /au/ or /ou/. ** Depending on the variety of English.

Research Gaps | Research Questions What has been said about English vowels produced by Japanese learners? Japanese learners merge spectrally similar vowels (Ingram & Park 1997, Ueyama 2003) ٠ L1 English speaker (ENS) Japanese learner of English (JPN) /i/ /1/ /\//1/ L1 English speakers Japanese learners of English 0.014 0.015 0.004 0.006 0.008 0.010 0.012 probability density 0.010 /1/ /1/ Japanese speakers are **very sensitive** to vowel duration probability density ٠ (Kato et al. 2001) and exaggerate duration to compensate /i/ /i/ for the relative insensitivity to formant differences 0.005 (Morrison 2002) 0.002 0.000 000 50 100 150 200 250 300 350 400 50 100 150 200 250 300 350 400

duration (ms)


(Tsukada 2009)

duration (ms)

Research Gaps | Research Questions

Problems and gaps in previous research

- Investigation mainly done in highly controlled laboratory conditions (scripted word | sentence-reading)
 - > Learner vowel traits in naturalistic speech environments largely unknown
- Small subject size (±10 speakers)
 - Limited generalisability | applicability of the findings



Larger-scale analysis of vowels

produced under more **spontaneous speech** conditions is needed!

RQ1: Do Japanese learners merge /i:/ and /ɪ/ as well as /u:/ and /u/?

RQ2: Do Japanese learners **exaggerate the length of vowels** to compensate lack of spectral differentiation?

ICNALE Online The International Corpus Network of Asian Learners of English, Online Version

Spoken Monologue

Spoken Dialogue

Edited Essays

Written Essays

ogin Counter 30372 Since 2012

Methodology (Data | Analysis)

Data

- International Corpus Network of Asian Learners of English (ICNALE) ٠ (Ishikawa 2014)
 - Speech and text samples from English learners in Asia and L1 English speakers
 - Spoken monologues: spontaneous speech from **150 Japanese learners** 0 and 132 L1 speakers of English

	Total	246	1,815	1,474	377	676
	JPN	141	1,122	535	188	281
	ENS	105	693	939	189	395
\circ After processing (final data set)	Туре	Speakers	/1/	/i:/	/ប/	/u:/
	Total	282	6,258	2,408	994	3,156
	JPN	150	3,696	1,203	644	1,261
	ENS	132	2,562	1,205	350	1,895
 Before processing 	Туре	Speakers	/1/	/i:/	/ʊ/	/u:/

Methodology (Data | Analysis)

Data Processing (R 4.2, R Core team (2022) in RStudio (RStudio Team 2022))

• Aligning speech with audio using Web-MAUS (Schiel 1999) (this produces Praat TextGrids)



- Automated extraction of vowel formants and vowel duration from Praat TextGrids (Wickham et al. 2019)
- Only monosyllabic words were retained and outliers were removed using Kernel Density Estimation

Statistical Analysis

- Mergers \rightarrow Bhattacharya affinity (Johnson 2015, measure of overlap of scatter clouds, 1 = perfect overlap)
- Duration → Mixed-Effects Regression Model (Ime4: Bates et al. (2015), sjPlot: Lüdeke (2021))
 - o DV: duration
 - o IVs: type, vowel, gender, age, word type
 - o REs: word, speaker

Results


Mergers


- /i:/ and /ɪ/
 - o JPN Bhattacharya affinity: .901
 - o ENS Bhattacharya affinity: .757

Substantively more overlap among JPN!

- /u:/ and /ʊ/
 - o JPN Bhattacharya affinity: .932
 - ENS Bhattacharya affinity: .952

Mergers confirmed for **spectrally similar vowels** (ENS also merge /u:/ and /ʊ/)!






Predicted values of duration

Results

Duration

- JPN extend all vowel durations (not just long vowels)! (expectation: short vowels shorter | long vowels longer!)
- JPN exaggerate the duration difference of both /i:/ and /ɪ/ as well as /u:/ and /ʊ/

Exaggerated duration difference by JPN speakers confirmed for both /i:/ and /ɪ/ as well as /u:/ and /ʊ/!



Predicted values of duration

Discussion | Outlook

Comparison with previous findings

- Confirmation | Substantiation
 - JPN: mergers of spectrally close vowels (lab settings: Ueyama 2003; Tsukada 2001)
- Unique findings | Conflicts
 - \circ ENS: merger of /u:/ and /v/ in spon. speech
 - JPN: exaggerated durational contrasts between spectrally similar vowels in nat. settings (lab settings: Tsukada 2009)
- 1. Apply same method to German learners and learners of other languages (e.g. German)
- 2. Determine what factors differentiate ENS and L2 speakers re. vowel production (potential MA theses!)



Limitations

- Quality of recordings is really poor! (minute-long recordings recorded on cell phones)!
- Difficult to control semantic | phonological environments (which is important) (see Visceglia et al. 2009)

Significance

- Bad quality could | can be compensated using advanced methods (Kernel Density Estimation)
- Insights into vowel production by JPN learners in spontaneous speech (underexplored) → natural setting allows to generalise findings to real-life learner speech
- Automated corpus-based investigation on larger samples

Potential Applications

Significance



• First large-scale, corpus-based studies of ESL vowel production in natural speech!

Possible Applications


- Extend study to L1 German learners of English (or learners of other languages)
- Can be applied to L3 and multilingual contexts (e.g., do multilingual learners have an advantage over bilingual learners?)
- Creation of targeted classroom materials or a a mobile app to improve L1-like vowel production among (advanced) learners



Thank you really very much!

Martin Schweinberger

m.Schweinberger@uq.edu.au



References

Flege, J. E. (1995). Second-language speech learning: theory, findings, and problems. In W. Strange (ed.), *Speech perception and linguistic experience: Issues in cross-linguistic research*, 233-277. York Press.

Franklin, A. D., & Stoel-Gammon, C. (2014). Using multiple measures to document change in English vowels produced by Japanese, Korean, and Spanish speakers: The case for goodness and intelligibility. *American Journal of Speech-Language Pathology* 23(4): 625-640.

Grenon, I., Kubota, M., & Sheppard, C. (2019). The creation of a new vowel category by adult learners after adaptive phonetic training. *Journal of Phonetics* 72: 17-34.

Homma, Y. (1992). Acoustic phonetics in English & Japanese. Yamaguchi Shoten.


Ingram, J. C. L., & Park, S. G. (1997). Cross-language vowel perception and production by Japanese and Korean learners of English. *Journal of Phonetics* 25(3): 343-370.

Johnson, D. E. (2015). Quantifying Overlap with Bhattacharyya's affinity and other measures! Paper presented at NWAV15 (https://danielezrajohnson.shinyapps.io/nwav_44/).

Kato, H., Tajima, K., & Akahane-Yamada, R. (2001). Native and non-native perception of phonemic length contrasts in Japanese. *The Journal of the Acoustical Society of America* 110(5): 2686.

Ladefoged, P., & Johnson, K. (2014). A Course in Phonetics. Cengage.

Morrison, G. S. (2002). Japanese listeners' use of duration cues in the identification of English high front vowels. In J. Larson. & M. Paster (eds.), *Proceedings of the 28th annual meeting of the Berkeley Linguistics Society*, 189–200. Berkeley Linguistics Society.



References

Satoi, H., Yoshimura, M., & Yabuuchi, S. (2005). The relationship between English speech rhythm and vowel reduction in production: Comparison between Japanese EFL learners and native English speakers. *Language Education & Technology* 42: 59-72.

Tsukada, K. (2001). Native vs non-native production of English vowels in spontaneous speech: An acoustic phonetic study. In P. Dalsgaard, B. Lindberg & H. Benner (eds.), *Proceedings of the 7th European Conference on Speech Communication and Technology (Eurospeech 2001)*, 305-308.

Tsukada, K. (2009). Durational characteristics of English vowels produced by Japanese and Thai second language (L2) learners. *Australian Journal of Linguistics* 29(2): 287-299.

Ueyama, M. (2003). Duration and quality in the production of the vowel length contrast in L2 English and L2 Japanese. In M. J. Solé., D. Recasens., & J. Romero. (eds.), *15th International Congress of Phonetic Sciences*, 1509-1512. Universitat Autònoma de Barcelona.

Visceglia, T., Chiu-Yu., T., Kondo, M., Meng, H., & Sagisaka, Y. (2009). Phonetic aspects of content design in AESOP (Asian English Speech corpus Project). Oriental COCOSDA International Conference on Speech Database and Assessments, 60-65.

Yamaguchi, T., & Chiew. P. S. (2020). Is there conflation? An acoustic analysis of vowels in Japanese English. *Asian Englishes* 22(1): 35-51.



Data & Software

Data

Ishikawa, S. (2014). Design of the ICNALE Spoken: A new database for multi-modal contrastive interlanguage analysis. *Learner Corpus Studies in Asia and the World* 2: 63-76.

Software

R Core Team (2022). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria. (<u>https://www.R-project.org</u>)

RStudio Team (2022). RStudio: Integrated Development Environment for R. RStudio, PBC: Boston, MA (http://www.rstudio.com)

Bates, D., Maechler, M., Bolker, B., & Walker, S. (2015). Fitting Linear Mixed-Effects Models Using Ime4. *Journal of Statistical Software* 67(1), 1-48.

Lüdecke D. (2021). *sjPlot: Data Visualization for Statistics in Social Science*. R package. Version 2.8.10 (<u>https://CRAN.R-project.org/package=sjPlot</u>).

Schiel, F. (1999). Automatic Phonetic Transcription of Non-Prompted Speech, *Proceedings of the ICPhS 1999. San Francisco, August 1999*, 607-610.

Wickham et al., (2019). Welcome to the tidyverse. Journal of Open Source Software 4(43): 1686.

Acknowledgements

The study is part of a project that Yuki Komiya and Martin Schweinberger worked on at the University of Queensland.

This paper has been submitted to SST2022 - The 18th Australasian International Conference on Speech Science and Technology.



Martin Schweinberger <u>m.schweinberger@uq.edu.au</u> <u>martin.schweinberger@uit.no</u> https://github.com/MartinSchweinberger







Reproducibility in corpus-based computational analyses of learner speech

Martin Schweinberger m.Schweinberger@uq.edu.au



